

TAIWANESE GROUP STAND INFORMATION SHEET



TAIWANESE GROUP STAND

- Closed space on the Taiwanese Group Stand
- Stand space: 3.0m x 2.0m
- Shell stand construction: system silver, walls white

FURNISHING

- 1 white counter (50 x 100 cm)
- 1 barstool
- 1 carpet fair rips blue
- 1 coat rack
- 1 waste paper basket

ELECTRICAL INSTALLATION

- 2 pcs spotlights (120 W)
- 3,3 kW electric standard connection including standard consumption

LETTERING

- Fascia board with 15 characters Arial black

STAND CLEANING


- Stand cleaning before opening
- Stand cleaning on the 1st and 2nd evening of the show

PARTICIPATION FEE


Special Price for each Taiwanese Company on the
Taiwanese Group Stand: 2250,00 € plus 19% German VAT

Participation includes:

- **Exhibition Space**
- **Print Communication Package**
Free entry in the Exhibition Catalogue incl. address, 4c Company logo, Company description (German & English) product index & market index listing.
- **Online Communication Package**
Free entry at FILTECH homepage incl. Company description (German & English), 4c Company logo, product index & market index listing, free publication of Exhibitor news/press releases).
- **50 Free Entrance Tickets** to invite clients/customers
- **120 Free Promotional Stickers** inkl. 4c Company logo
- **Free Exhibitor Passes** (please use form 1E)



Additional furniture, services & electrical installations can be ordered separately.



Product Index Page 1

1C

Company Name

Stand No/

Street/PO Box

Post Code/City

Country

Contact Person

E-mail

Phone/Fax

Return all 3 pages to:

Filtech Exhibitions Germany
PO Box 12 25
40637 Meerbusch – Germany
Fax: +49 (0)2132 93 57 62

Number of product entries is limited to 24 keywords for each exhibitor.

- | | | | |
|---|--|--|--|
| <input type="checkbox"/> A bsorption Filters | <input type="checkbox"/> Absorptionsfilter | <input type="checkbox"/> D ecanters | <input type="checkbox"/> Dekanter, Absetzbecken |
| <input type="checkbox"/> Activated Carbon | <input type="checkbox"/> Aktivkohle | <input type="checkbox"/> Dedusters | <input type="checkbox"/> Entstaubungsanlagen |
| <input type="checkbox"/> Activated Carbon Media | <input type="checkbox"/> Aktivkohle Medien | <input type="checkbox"/> Demisters | <input type="checkbox"/> Tropfenabscheider |
| <input type="checkbox"/> Activated Carbon Pleaters | <input type="checkbox"/> Aktivkohle Filteranlagen | <input type="checkbox"/> Deodorization | <input type="checkbox"/> Desodorierung |
| <input type="checkbox"/> Adhesives | <input type="checkbox"/> Klebstoffe | <input type="checkbox"/> Dewatering Equipment | <input type="checkbox"/> Entwässerungsanlagen |
| <input type="checkbox"/> Adhesive Application Systems | <input type="checkbox"/> Klebstoffauftragsysteme | <input type="checkbox"/> Diatomite | <input type="checkbox"/> Kieselgur |
| <input type="checkbox"/> Adhesive Application for Filters | <input type="checkbox"/> Filterverklebung | <input type="checkbox"/> Differential Pressure Transmitter | <input type="checkbox"/> Differenzdrucktransmitter |
| <input type="checkbox"/> Adhesive Dispensers | <input type="checkbox"/> Klebstoffspender | <input type="checkbox"/> Disc Filters | <input type="checkbox"/> Scheibenfilter |
| <input type="checkbox"/> Adsorption Filters | <input type="checkbox"/> Adsorptionsfilter | <input type="checkbox"/> Disposable Filters | <input type="checkbox"/> Einwegfilter |
| <input type="checkbox"/> Aeration Systems | <input type="checkbox"/> Belüftungssysteme | <input type="checkbox"/> Distillation | <input type="checkbox"/> Destillation |
| <input type="checkbox"/> Aerosol Generators | <input type="checkbox"/> Aerosolgeneratoren | <input type="checkbox"/> Drinking Water Filters | <input type="checkbox"/> Trinkwasserfilter |
| <input type="checkbox"/> Air Dryers | <input type="checkbox"/> Lufttrockner | <input type="checkbox"/> Droplet Generators | <input type="checkbox"/> Tröpfchengeneratoren |
| <input type="checkbox"/> Air Filter Media | <input type="checkbox"/> Luftfiltermedien | <input type="checkbox"/> Drum Filters | <input type="checkbox"/> Trommelfilter |
| <input type="checkbox"/> Air Filters | <input type="checkbox"/> Luftfilter | <input type="checkbox"/> Dryers | <input type="checkbox"/> Trockner |
| <input type="checkbox"/> Air Flow Meters | <input type="checkbox"/> Luftstrommesser | <input type="checkbox"/> Dust Collectors | <input type="checkbox"/> Staubabscheider |
| <input type="checkbox"/> Air Sterilization | <input type="checkbox"/> Luftsterilisation | <input type="checkbox"/> Dust Generators | <input type="checkbox"/> Staubgeneratoren |
| <input type="checkbox"/> Analytical Instruments | <input type="checkbox"/> Analytische Messtechnik | <input type="checkbox"/> Dust Measuring Systems | <input type="checkbox"/> Staubmessgeräte |
| <input type="checkbox"/> Analytical Centrifuges | <input type="checkbox"/> Analytische Zentrifugen | <input type="checkbox"/> Dust/Mist Filters | <input type="checkbox"/> Staub-/Tropfenfilter |
| <input type="checkbox"/> Antiscalants | <input type="checkbox"/> Antiscalants | | |
| <input type="checkbox"/> Automatic Filters | <input type="checkbox"/> Automatische Filter | <input type="checkbox"/> E dge Element Filters | <input type="checkbox"/> Kantenelementfilter |
| <input type="checkbox"/> Automotive Filters | <input type="checkbox"/> Automobilfilter | <input type="checkbox"/> Effluent Filters | <input type="checkbox"/> Abwasserfilter |
| | | <input type="checkbox"/> Electrocoagulation | <input type="checkbox"/> Elektrokoagulation |
| <input type="checkbox"/> B acteriological Filters | <input type="checkbox"/> Beutelfilter | <input type="checkbox"/> Electrical Precipitators | <input type="checkbox"/> elektrische Abscheider |
| <input type="checkbox"/> Bag Filters | <input type="checkbox"/> Bakterienfilter | <input type="checkbox"/> Electrostatic Precipitators | <input type="checkbox"/> electrostatische Abscheider |
| <input type="checkbox"/> Bag Flush Filters | <input type="checkbox"/> Rückspülfilter | <input type="checkbox"/> Expanded Metal | <input type="checkbox"/> Streckmetall |
| <input type="checkbox"/> Basket Filters | <input type="checkbox"/> Korbfilter | | |
| <input type="checkbox"/> Battery Separators | <input type="checkbox"/> Batterieseparatoren | <input type="checkbox"/> F ilter Aids | <input type="checkbox"/> Filterhilfsmittel |
| <input type="checkbox"/> Belt Filters | <input type="checkbox"/> Bandfilter | <input type="checkbox"/> Filter Bags | <input type="checkbox"/> Filterbeutel |
| | | <input type="checkbox"/> Filter Bags from Metal Felt | <input type="checkbox"/> Filterbeutel aus Metallvlies |
| <input type="checkbox"/> C abin Air Filters | <input type="checkbox"/> Kabinenfilter | <input type="checkbox"/> Filter Cartridges | <input type="checkbox"/> Filterpatronen |
| <input type="checkbox"/> Candle Filters | <input type="checkbox"/> Kerzenfilter | <input type="checkbox"/> Filter Centrifuges | <input type="checkbox"/> Filterzentrifugen |
| <input type="checkbox"/> Carbon Filters | <input type="checkbox"/> Kohlefilter | <input type="checkbox"/> Filter Cloth | <input type="checkbox"/> Filtertücher |
| <input type="checkbox"/> Cartridge Filters | <input type="checkbox"/> Patronenfilter | <input type="checkbox"/> Filter Discs | <input type="checkbox"/> Filterscheiben |
| <input type="checkbox"/> Centrifuges | <input type="checkbox"/> Zentrifugen | <input type="checkbox"/> Filter Elements | <input type="checkbox"/> Filterelemente |
| <input type="checkbox"/> Ceramic Membranes | <input type="checkbox"/> Keramikmembranen | <input type="checkbox"/> Filter Fabrics | <input type="checkbox"/> Filtergewebe |
| <input type="checkbox"/> Ceramic Separators | <input type="checkbox"/> Keramische Separatoren | <input type="checkbox"/> Filter Felts | <input type="checkbox"/> Filterfilze |
| <input type="checkbox"/> Chamber Filter Elements | <input type="checkbox"/> Kammerfilterelemente | <input type="checkbox"/> Filter Housings | <input type="checkbox"/> Filtergehäuse |
| <input type="checkbox"/> Clarifiers | <input type="checkbox"/> Klärer | <input type="checkbox"/> Filter Media | <input type="checkbox"/> Filtermedien |
| <input type="checkbox"/> Classifiers | <input type="checkbox"/> Klassierer | <input type="checkbox"/> Filter Media for Liquids | <input type="checkbox"/> Filtermedien f. Flüssigkeiten |
| <input type="checkbox"/> Coalescer Media | <input type="checkbox"/> Coalescer Medien | <input type="checkbox"/> Filter Media for Gases | <input type="checkbox"/> Filtermedien f. Gase |
| <input type="checkbox"/> Coalescers | <input type="checkbox"/> Coalescer | <input type="checkbox"/> Filter Media Testing | <input type="checkbox"/> Filtermedienprüfung |
| <input type="checkbox"/> Coated Filters, antibacterial | <input type="checkbox"/> Beschichtete Filter, antibakteriell | <input type="checkbox"/> Filter Pads | <input type="checkbox"/> Filterkissen |
| <input type="checkbox"/> Conditioning Agents | <input type="checkbox"/> Aufbereitungsmittel | <input type="checkbox"/> Filter Plates | <input type="checkbox"/> Filterplatten |
| <input type="checkbox"/> Compressed Air Dryers | <input type="checkbox"/> Drucklufttrockner | <input type="checkbox"/> Filter Presses | <input type="checkbox"/> Filterpressen |
| <input type="checkbox"/> Conditioning Agents | <input type="checkbox"/> Aufbereitungsmittel | <input type="checkbox"/> Filter Pulp | <input type="checkbox"/> Filterbrei |
| <input type="checkbox"/> Coolant Filters | <input type="checkbox"/> Kühlmittelfilter | <input type="checkbox"/> Filter Seaming Machines | <input type="checkbox"/> Filterverschleißmaschinen |
| <input type="checkbox"/> Core Tubes | <input type="checkbox"/> Kernschläuche | <input type="checkbox"/> Filter Test Rigs (Gas/Air) | <input type="checkbox"/> Filtertesteinrichtungen |
| <input type="checkbox"/> Cutting Systems | <input type="checkbox"/> Schneidesysteme | <input type="checkbox"/> Filter Textiles | <input type="checkbox"/> Filtertextilien |
| <input type="checkbox"/> Cyclones | <input type="checkbox"/> Zyklone | <input type="checkbox"/> Filter Tube End Caps | <input type="checkbox"/> Filterröhrenendkappen |
| | | <input type="checkbox"/> Filter Tube Making Machines | <input type="checkbox"/> Filterröhrenmaschine |

Product Index

1C Company Name

Stand No/

Page 2

Number of product entries is limited to 24 keywords for each exhibitor.

- | | | | |
|--|---|--|---|
| <input type="checkbox"/> Filter Tubes | <input type="checkbox"/> Filterröhren, Röhrenfilter | <input type="checkbox"/> Multiple Filter Systems | <input type="checkbox"/> Mehrfachfiltersysteme |
| <input type="checkbox"/> Filterability Tester | <input type="checkbox"/> Filtrierbarkeitstester | <input type="checkbox"/> Multiple Web Pleating Lines | <input type="checkbox"/> Mehrnutzenfaltlinien |
| <input type="checkbox"/> Filtration Plants | <input type="checkbox"/> Filteranlagen | <input type="checkbox"/> Nano Media | <input type="checkbox"/> Nanomedien |
| <input type="checkbox"/> Flocculants | <input type="checkbox"/> Flockungsmittel | <input type="checkbox"/> Nanofiltration | <input type="checkbox"/> Nanofiltration |
| <input type="checkbox"/> Flocculation & Mixing Systems | <input type="checkbox"/> Flockungs- u. Mischsysteme | <input type="checkbox"/> Nanoparticle Analysis | <input type="checkbox"/> Nanopartikelanalyse |
| <input type="checkbox"/> Flotation Equipment | <input type="checkbox"/> Flotationsanlage | <input type="checkbox"/> Nanoparticle Generation | <input type="checkbox"/> Nanopartikelherstellung |
| <input type="checkbox"/> Flow Indicators | <input type="checkbox"/> Durchflußanzeiger | <input type="checkbox"/> Nanoparticle Measurement | <input type="checkbox"/> Nanopartikelmessung |
| <input type="checkbox"/> Flow Meters | <input type="checkbox"/> Durchflussmesser | <input type="checkbox"/> Nonwovens | <input type="checkbox"/> Vliesmaterialien |
| <input type="checkbox"/> Fluid Samplers | <input type="checkbox"/> Flüssigkeitsprobennehmer | <input type="checkbox"/> Nonwovens, Meltblown | <input type="checkbox"/> Vliesmaterialien, Meltblown |
| <input type="checkbox"/> Fuel Filters | <input type="checkbox"/> Kraftstoff-Filter | <input type="checkbox"/> Nonwovens, Spunbonded | <input type="checkbox"/> Vliesmaterialien, Spunbonded |
| <input type="checkbox"/> Fuel Filter Media | <input type="checkbox"/> Kraftstoff-Filtermedien | <input type="checkbox"/> Nonwovens, Spunlaced | <input type="checkbox"/> Vliesmaterialien, Spunlaced |
| <input type="checkbox"/> Gas Adsorption | <input type="checkbox"/> Gasadsorption | <input type="checkbox"/> Odor Removal | <input type="checkbox"/> Geruchsbereitigung |
| <input type="checkbox"/> Gas Analysis Devices | <input type="checkbox"/> Gasanalysegerät | <input type="checkbox"/> Oil Filter Media | <input type="checkbox"/> Ölfiltermedien |
| <input type="checkbox"/> Gas Cleaning | <input type="checkbox"/> Gasreinigung | <input type="checkbox"/> Oil Filters | <input type="checkbox"/> Ölfilter |
| <input type="checkbox"/> Gas Filters | <input type="checkbox"/> Gasfilter | <input type="checkbox"/> Online Particle Analysis | <input type="checkbox"/> Online Partikelanalyse |
| <input type="checkbox"/> Gaskets for Filters | <input type="checkbox"/> Dichtungen für Filter | <input type="checkbox"/> Ozone Equipment | <input type="checkbox"/> Ozonanlagen |
| <input type="checkbox"/> Glass Fibre Filter | <input type="checkbox"/> Glasfaserfilter | <input type="checkbox"/> Paint Filters | <input type="checkbox"/> Lackfilter |
| <input type="checkbox"/> Glass Fibre Media | <input type="checkbox"/> Glasfasermedien | <input type="checkbox"/> Panel Filter Lines | <input type="checkbox"/> Paneelfilter-Anlagen |
| <input type="checkbox"/> Glass Filter Bags | <input type="checkbox"/> Glasfaserschläuche | <input type="checkbox"/> Paper Media | <input type="checkbox"/> Papierfiltermittel |
| <input type="checkbox"/> Glass Yarn | <input type="checkbox"/> Glasfasern | <input type="checkbox"/> Particle Counters | <input type="checkbox"/> Partikelzähler |
| <input type="checkbox"/> Hepa Filters | <input type="checkbox"/> Hepa-Filter | <input type="checkbox"/> Particle Filters for Diesel Engines | <input type="checkbox"/> Dieselrußfilter |
| <input type="checkbox"/> Hepa-/Mini Pleating Machines | <input type="checkbox"/> Hepa-/Minipleat Faltmaschine | <input type="checkbox"/> Particle Measuring Methods | <input type="checkbox"/> Partikelanalysemethoden |
| <input type="checkbox"/> Hot-Gas Filters | <input type="checkbox"/> Heißgasfilter | <input type="checkbox"/> Particle Shape Analysis | <input type="checkbox"/> Partikelformanalyse |
| <input type="checkbox"/> Hot-Melt Type Adhesives | <input type="checkbox"/> Schmelzklebstoffe | <input type="checkbox"/> Particle Size Analysis | <input type="checkbox"/> Partikelgrößenanalyse |
| <input type="checkbox"/> Hot-Melt Type Applications | <input type="checkbox"/> Heißbleimgeräte | <input type="checkbox"/> Particle Size Distribution Analysis | <input type="checkbox"/> Partikelgrößenverteilungsanalyse |
| <input type="checkbox"/> Humidity Recorders | <input type="checkbox"/> Feuchtigkeitsrecorder | <input type="checkbox"/> Peeler Centrifuges | <input type="checkbox"/> Schälzentrifugen |
| <input type="checkbox"/> Hydraulic Filters | <input type="checkbox"/> Hydraulikfilter | <input type="checkbox"/> Perforated Metals | <input type="checkbox"/> Perforierte Metalle |
| <input type="checkbox"/> Hydraulic Media | <input type="checkbox"/> Hydraulikmedien | <input type="checkbox"/> Perforation Presses | <input type="checkbox"/> Perforationspressen |
| <input type="checkbox"/> Hydrocyclones | <input type="checkbox"/> Hydrozyklone | <input type="checkbox"/> Pilot plants | <input type="checkbox"/> Pilotanlagen |
| <input type="checkbox"/> In-Line Filters | <input type="checkbox"/> Einbaufilter | <input type="checkbox"/> Plasma Treatment | <input type="checkbox"/> Plasma Behandlung |
| <input type="checkbox"/> Intake Filters | <input type="checkbox"/> Ansaugfilter | <input type="checkbox"/> Pleating Machines | <input type="checkbox"/> Faltmaschinen |
| <input type="checkbox"/> Inverting Filter Centrifuges | <input type="checkbox"/> Stülpfilterzentrifugen | <input type="checkbox"/> Pore Size Meter | <input type="checkbox"/> Porengrößenmessgerät |
| <input type="checkbox"/> Ion Exchange System | <input type="checkbox"/> Ionenaustauschanlage | <input type="checkbox"/> Porous Ceramics | <input type="checkbox"/> Poröse Keramik |
| <input type="checkbox"/> Knife Pleating Machines | <input type="checkbox"/> Messerfaltmaschinen | <input type="checkbox"/> Porous Filter Media | <input type="checkbox"/> Poröse Filtermittel |
| <input type="checkbox"/> Laboratory Filters | <input type="checkbox"/> Laborfilter | <input type="checkbox"/> Porous Metals | <input type="checkbox"/> Poröse Metalle |
| <input type="checkbox"/> Laboratory Mixers | <input type="checkbox"/> Labormischer | <input type="checkbox"/> Porous Plastics | <input type="checkbox"/> Poröse Kunststoffe |
| <input type="checkbox"/> Laboratory Plants | <input type="checkbox"/> Laboranlagen | <input type="checkbox"/> Powders | <input type="checkbox"/> Pulver |
| <input type="checkbox"/> Laboratory Sieves | <input type="checkbox"/> Laborsiebe | <input type="checkbox"/> Powder Classifiers | <input type="checkbox"/> Pulverklassierer |
| <input type="checkbox"/> Laser Diffraction | <input type="checkbox"/> Laserbeugung | <input type="checkbox"/> Pre-Cleaning Filters | <input type="checkbox"/> Vorfilter |
| <input type="checkbox"/> Leaf Filters | <input type="checkbox"/> Blattfilter | <input type="checkbox"/> Precipitators | <input type="checkbox"/> Abscheider |
| <input type="checkbox"/> Lubrication Oil Filters | <input type="checkbox"/> Schmierölfilter | <input type="checkbox"/> Precoat Filters | <input type="checkbox"/> Anschwemmfilter |
| <input type="checkbox"/> Magnetic Filters | <input type="checkbox"/> Magnetfilter | <input type="checkbox"/> Pressure Disc Filters | <input type="checkbox"/> Druckscheibenfilter |
| <input type="checkbox"/> Medical Filters | <input type="checkbox"/> Medizinische Filter | <input type="checkbox"/> Pressure Drum Filters | <input type="checkbox"/> Drucktrommelfilter |
| <input type="checkbox"/> Membrane Bioreactors MBR | <input type="checkbox"/> Membranbioreaktor | <input type="checkbox"/> Pressure Filtration/Dewatering | <input type="checkbox"/> Druckfiltration/Entwässerung |
| <input type="checkbox"/> Membrane Cleaner | <input type="checkbox"/> Membranreiniger | <input type="checkbox"/> Pressure Leaf Filters | <input type="checkbox"/> Druckblattfilter |
| <input type="checkbox"/> Membrane Manufacturing | <input type="checkbox"/> Membranherstellung | <input type="checkbox"/> Pressure Plate Filters | <input type="checkbox"/> Druckplattenfilter |
| <input type="checkbox"/> Membrane Presses | <input type="checkbox"/> Membranfilterpressen | <input type="checkbox"/> Pressure Transmitter | <input type="checkbox"/> Drucktransmitter |
| <input type="checkbox"/> Membranes | <input type="checkbox"/> Membranen | <input type="checkbox"/> Pretreatment Chemicals | <input type="checkbox"/> Chemikalien f. d. Vorbeh. |
| <input type="checkbox"/> Membrane Testing Plants | <input type="checkbox"/> Membrantestanlagen | <input type="checkbox"/> Product Recovery Units | <input type="checkbox"/> Produktrückgew.-anlagen |
| <input type="checkbox"/> Meshes, Metal | <input type="checkbox"/> Maschengewebe, Metal | <input type="checkbox"/> Pumps | <input type="checkbox"/> Pumpen |
| <input type="checkbox"/> Meshes, Synthetic | <input type="checkbox"/> Maschengewebe, synth. | <input type="checkbox"/> Purifiers | <input type="checkbox"/> Reiniger |
| <input type="checkbox"/> Metal Cloth | <input type="checkbox"/> Metallgewebe | <input type="checkbox"/> Pusher Centrifuges | <input type="checkbox"/> Schubzentrifugen |
| <input type="checkbox"/> Metal Expander | <input type="checkbox"/> Metallexpander | <input type="checkbox"/> Radial Cartridge | <input type="checkbox"/> Radialfilter |
| <input type="checkbox"/> Microfiltration | <input type="checkbox"/> Mikrofiltration | <input type="checkbox"/> Research plants | <input type="checkbox"/> Forschungsanlagen |
| <input type="checkbox"/> Mist Collectors | <input type="checkbox"/> Dunstabscheider | <input type="checkbox"/> Reusable Filter Media | <input type="checkbox"/> Wiederverw. Filtermedien |
| <input type="checkbox"/> Mist Eliminators | <input type="checkbox"/> Dunstabscheider | <input type="checkbox"/> Reverse Osmosis | <input type="checkbox"/> Umkehrosmose |
| | | <input type="checkbox"/> Rotary Membrane Filters | <input type="checkbox"/> Rotierende Membranfilter |
| | | <input type="checkbox"/> Rotary Pleaters | <input type="checkbox"/> Rotationsfaltmaschinen |

Product Index

1C

Company Name

Stand No/

Page 3

Number of product entries is limited to 24 keywords for each exhibitor.

- | | | | |
|---|--|---|---|
| <input type="checkbox"/> Rotary Vacuum Filters | <input type="checkbox"/> Vakuumdrehfilter | <input type="checkbox"/> Stainless Steel Filters | <input type="checkbox"/> Edelstahlfilter |
| <input type="checkbox"/> Rotary Filters | <input type="checkbox"/> Drehfilter | <input type="checkbox"/> Strainers | <input type="checkbox"/> Feinsiebe |
| <input type="checkbox"/> S ampling Equipment | <input type="checkbox"/> Probenahme | <input type="checkbox"/> Surface Analysers | <input type="checkbox"/> Oberflächenanalysegeräte |
| <input type="checkbox"/> Sand Screens | <input type="checkbox"/> Sandsiebe | <input type="checkbox"/> T able Filters | <input type="checkbox"/> Planfilter |
| <input type="checkbox"/> Sewing Units Filter Bags | <input type="checkbox"/> Nähanlagen für Filterschläuche | <input type="checkbox"/> Technical Textiles | <input type="checkbox"/> Technische Textilien |
| <input type="checkbox"/> Sewing Units Filter Pockets | <input type="checkbox"/> Nähanlagen für Filtertaschen | <input type="checkbox"/> Test Rigs | <input type="checkbox"/> Testeinrichtung |
| <input type="checkbox"/> Sewing Units Liquid Filtration | <input type="checkbox"/> Nähanlagen für Flüssigkeitsfilter | <input type="checkbox"/> Thickeners | <input type="checkbox"/> Eindicker |
| <input type="checkbox"/> Screen Centrifuges | <input type="checkbox"/> Siebzentrifugen | <input type="checkbox"/> Tower Presses | <input type="checkbox"/> Turmpressen |
| <input type="checkbox"/> Screening Machines | <input type="checkbox"/> Siebmaschinen | <input type="checkbox"/> Tube Filters | <input type="checkbox"/> Röhrenfilter |
| <input type="checkbox"/> Screw Presses | <input type="checkbox"/> Schneckenpressen | <input type="checkbox"/> Tube Presses | <input type="checkbox"/> Rohrpressen |
| <input type="checkbox"/> Sediment Characterization | <input type="checkbox"/> Sediment Charakterisierung | <input type="checkbox"/> Tubular Rolling Machine | <input type="checkbox"/> Rohrwalzmaschine |
| <input type="checkbox"/> Sedimentation Equipment | <input type="checkbox"/> Sedimentationsanlagen | <input type="checkbox"/> Tubular Membrane Modules | <input type="checkbox"/> Membranrohrmodule |
| <input type="checkbox"/> Self Cleaning Filters | <input type="checkbox"/> Selbstreinigende Filter | <input type="checkbox"/> Tubular Filters | <input type="checkbox"/> Röhrenfilter |
| <input type="checkbox"/> Separation Analyser | <input type="checkbox"/> Separationsanalysatoren | <input type="checkbox"/> U ltrafiltration | <input type="checkbox"/> Ultrafiltration |
| <input type="checkbox"/> Separators | <input type="checkbox"/> Abscheider | <input type="checkbox"/> Ultrasonic Slitting/Cutting | <input type="checkbox"/> Ultraschallschneiden |
| <input type="checkbox"/> Separators - Magnetic | <input type="checkbox"/> Magnetabscheider | <input type="checkbox"/> Ultrasonic Welding | <input type="checkbox"/> Ultraschallverschweissen |
| <input type="checkbox"/> Separators - Oil/Mist | <input type="checkbox"/> Abscheider - Öl/Dunst | <input type="checkbox"/> Unit Collectors, Dust | <input type="checkbox"/> Abscheidereinheit, Staub |
| <input type="checkbox"/> Separators - Oil/Water | <input type="checkbox"/> Abscheider - Öl/Wasser | <input type="checkbox"/> V acuum Disc Filters | <input type="checkbox"/> Vakuumscheibenfilter |
| <input type="checkbox"/> Separators - Solid/Liquid | <input type="checkbox"/> Abscheider - Fest/Flüssig | <input type="checkbox"/> Vacuum Drum Filters | <input type="checkbox"/> Vakuومتrommelfilter |
| <input type="checkbox"/> Sewage Sludge Filters | <input type="checkbox"/> Klärschlammfilter | <input type="checkbox"/> Vacuum Filters | <input type="checkbox"/> Vakuumfilter |
| <input type="checkbox"/> Sieves | <input type="checkbox"/> Siebe | <input type="checkbox"/> Valves | <input type="checkbox"/> Ventile |
| <input type="checkbox"/> Simulation | <input type="checkbox"/> Simulation | <input type="checkbox"/> W aste Water Filters | <input type="checkbox"/> Abwasserfilter |
| <input type="checkbox"/> Slitter | <input type="checkbox"/> Längsschneider | <input type="checkbox"/> Water Filters | <input type="checkbox"/> Wasserfilter |
| <input type="checkbox"/> Slitting Tools | <input type="checkbox"/> Schneidwerkzeuge | <input type="checkbox"/> Wettability Analysis | <input type="checkbox"/> Benetzungsanalyse |
| <input type="checkbox"/> Sludge Dewatering | <input type="checkbox"/> Schlammwässerung | <input type="checkbox"/> Wire Mesh Laminates, metal | <input type="checkbox"/> Gewebelaminat, Metall |
| <input type="checkbox"/> Special Machinery | <input type="checkbox"/> Spezialmaschinen | <input type="checkbox"/> Wire/Wovens | <input type="checkbox"/> Gewebe |
| <input type="checkbox"/> Filtration Industry | <input type="checkbox"/> Filtrationsindustrie | <input type="checkbox"/> Wirecloth Filters | <input type="checkbox"/> Gewebefilter |
| <input type="checkbox"/> Special Machinery Textile Industry | <input type="checkbox"/> Spezialmaschinen Textilindustrie | <input type="checkbox"/> Z eta Potential Measurement | <input type="checkbox"/> Zetapotentialbestimmung |
| <input type="checkbox"/> Spiral Dewatering | <input type="checkbox"/> Spiralentwässerung | | |

Markets

Our products and/or services can be used in the following industries:

Number of market entries is limited to 10 keywords for each exhibitor

- | | | | |
|---|--|---|--|
| <input type="checkbox"/> Aerospace Industry | <input type="checkbox"/> Luft- und Raumfahrtindustrie | <input type="checkbox"/> Metal Processing Industry | <input type="checkbox"/> Metallverarbeitende Industrie |
| <input type="checkbox"/> Agriculture | <input type="checkbox"/> Agrarwirtschaft | <input type="checkbox"/> Mineral / Oil / Gas Production | <input type="checkbox"/> Mineralöl/Öl/Gasproduktion |
| <input type="checkbox"/> Automotive Industry | <input type="checkbox"/> Automobilindustrie | <input type="checkbox"/> Mining Industry | <input type="checkbox"/> Bergbauindustrie |
| <input type="checkbox"/> Biotechnology/Biopharmac. Ind. | <input type="checkbox"/> Biotechnologie/Biopharmazie | <input type="checkbox"/> Paint, Pigments, Coatings Industry | <input type="checkbox"/> Farben-, Pigment-, Beschichtungsindustrie |
| <input type="checkbox"/> Building & Construction Services | <input type="checkbox"/> Bauindustrie | <input type="checkbox"/> Petrochemical Industry | <input type="checkbox"/> Petrochemische Industrie |
| <input type="checkbox"/> Ceramic, Glass Industry | <input type="checkbox"/> Keramik-, Glasindustrie | <input type="checkbox"/> Pharmaceutical Industry | <input type="checkbox"/> Pharmazeutische Industrie |
| <input type="checkbox"/> Chemical Industries | <input type="checkbox"/> Chemische Industrie | <input type="checkbox"/> Plastic Industry | <input type="checkbox"/> Kunststoffverarbeitende Industrie |
| <input type="checkbox"/> Dairy Industry | <input type="checkbox"/> Milchindustrie / Molkerei | <input type="checkbox"/> Plating Industry | <input type="checkbox"/> Oberflächentechnik |
| <input type="checkbox"/> Electronic, Microelectronic Industry | <input type="checkbox"/> Elektronik-, Mikroelektronikind. | <input type="checkbox"/> Printing Industry | <input type="checkbox"/> Druckindustrie |
| <input type="checkbox"/> Energy, Energy Supply | <input type="checkbox"/> Energieerzeugung,-versorgung | <input type="checkbox"/> Pulp, Paper Industry | <input type="checkbox"/> Zellstoff-, Papierindustrie |
| <input type="checkbox"/> Environmental Protection | <input type="checkbox"/> Umweltschutz | <input type="checkbox"/> Semiconductor Industry | <input type="checkbox"/> Halbleiterindustrie |
| <input type="checkbox"/> Filtration and Separation Industry | <input type="checkbox"/> Filtrations- und Separationsindustrie | <input type="checkbox"/> Textile Industry | <input type="checkbox"/> Textilindustrie |
| <input type="checkbox"/> Food, Beverage Industry | <input type="checkbox"/> Lebensmittel-, Getränkeindustrie | <input type="checkbox"/> Waste Treatment | <input type="checkbox"/> Abfallwirtschaft |
| <input type="checkbox"/> Heavy Industry | <input type="checkbox"/> Schwerindustrie | <input type="checkbox"/> Waste Water Treatment | <input type="checkbox"/> Abwasserwirtschaft |
| <input type="checkbox"/> Iron, Steel Manufacturing | <input type="checkbox"/> Eisen-, Stahlherstellung | <input type="checkbox"/> Water Treatment, Supply | <input type="checkbox"/> Wasserbehandlung, -versorgung |
| <input type="checkbox"/> Medical, Health Care Industry | <input type="checkbox"/> Medizintechnik, Health Care Industrie | <input type="checkbox"/> Wood-processing Industry | <input type="checkbox"/> Holzverarbeitende Industrie |

Please return all 3 pages to:

Filtech Exhibitions Germany
PO Box 12 25
40637 Meerbusch – Germany
Fax: +49 (0)2132 93 57 62



APPLICATION FOR CO-EXHIBITORS

1D



Return to:

Yao-Ling Co., Ltd.

Tel : +886-3-499-2308 Ext : 17

Fax : +886-3-480-3822

Email : roger-lee@umail.hinet.net

No. 3, Lane 294, Minzu Road, Longtan
Township,

Taoyuang County, 32545, Taiwan, R.O.C.

APPLICATION FOR CO-EXHIBITORS

MAIN EXHIBITOR:

Stand no. _____ Applied for / already allotted

Company Name

Street/PO Box

Post Code/City

Country

Contact Person

E-mail

Phone/Fax

HEREWITH WE ADVISE THE FOLLOWING CO-EXHIBITOR/S:

Company Name

Street/PO Box

Post Code/City

Country

Contact Person

E-mail

Phone/Fax

Important:

By returning this form the Main-Exhibitor agrees to pay a fee of EUR 275 Euro plus VAT for each Co-Exhibitor.

This fee includes the participation fee, print communication and online communication for the Co-Exhibitor.

Without the prior consent of the Organizer, Exhibitors are not permitted to sublet their allotted stand either fully or in part to a third party. All accounts will be sent to the Main-Exhibitor, who still remains responsible. Other correspondence will be sent to the co-exhibitor. Consented Co-Exhibitors are entitled to: free Catalogue entry incl. address, text entry & 4c Company logo, product index listing plus Company logo & text entry at FILTECH homepage

Place / Date

Company stamp / Signature

WIESBADEN – PUBLIC TRANSPORT TICKET



1G

Return to:

Yao-Ling Co., Ltd.

Tel : +886-3-499-2308 Ext : 17

Fax : +886-3-480-3822

Email : roger-lee@umail.hinet.net

No. 3, Lane 294, Minzu Road, Longtan
Township,

Taoyuang County, 32545, Taiwan, R.O.C.

We hereby order ____ Public Transport Ticket/s
(valid 21. – 25. March 2011)

Stand no. ____ Hall ____

Cost 16,70 EURO per Ticket

- Normal air mail (+4 € handling + postage)
 Courier service (additional costs will be advised)

The **"RMV-KongressTicket"** entitles to **free rail travel**
between **Frankfurt International Airport (FRA) Railway
Station** and **Wiesbaden Central Station** and return
(in all suburban/regional trains – S8/S9)

plus

unlimited free travel on the **Wiesbaden public transport bus and regional train services** from
March 21 - 25, 2011.

Please make sure you carry the card at all times when you use public transport.
Please note that the card cannot be replaced if lost.



Company Name

Street/PO Box

Post Code/City

Country

Contact Person

E-mail

Phone/Fax

Authorised signature

TRAVEL INFORMATION 旅行指南

FILTECH 2011

2011年德国世界过滤与分离技术设备展览会
www.Filtech.de

日期

专题讲座：2011年03月21日
展览及会议：2011年03月22-24日

展会地点

威斯巴登市Rheinstr.大道20号Rhein-Main-Hallen会展中心(邮编65185)
www.rhein-main-hallen.de

展览开放时间

星期二、三：上午9时至下午6时
星期四：上午9时至下午6时

凭票进场

(进场门票在展会期间均为有效)

	预先登记	现场
1天参观券：	15.00欧元	20.00欧元
2天参观券：	20.00欧元	25.00欧元
3天参观券：	25.00欧元	30.00欧元

2010年秋季开始观众预先登记

交通指引

两年一届的德国世界过滤与分离技术设备展览会即将于2011年再次在德国威斯巴登举行。威斯巴登毗邻欧洲最大的机场：法兰克福国际机场，乘坐火车或汽车从机场到市区只需30分钟车程，对于参加展会的国际客人更加便利。

FILTECH 2011展览会的参会代表搭乘星空联盟(Star Alliance™)航空网络的空中航班旅行最高可享受八折优惠！

搭乘空中航班旅行

星空联盟

星空联盟(Star Alliance™)旗下成员航空公司是本次FILTECH2011展会的官方指定航空网络服务供应商。如需获取星空联盟之会议超值奖励计划(Conventions Plus)的优惠请致电星空联盟旗下成员航空公司的订票处，并告知本次展会的会议代码(convention code)：

FILTECH 2011会议代码：LH02S11

已登记的参会成员连同一位陪同人员搭乘航班参加本次展会，根据预订的航班票价和舱位，可自动获得高达八折的折扣优惠。相关折扣优惠涵盖已公布的商务舱及经济舱机票，但网站/互联网特价机票、长者及青少年优惠机票、团体机票及环球飞行套票不在此折扣优惠范围之内。


查询机票订购信息请登录：

www.staralliance.com/conventionsplus->Business Solutions->ConventionsPlus->Delegate Log-In

Participating Airlines for this event are: ANA, Adria Airways, Air Canada, Air China, Asiana Airlines, Austrian Airlines, Croatia Airlines, EgyptAir, LOT Polish Airlines, Lufthansa, SWISS International Air Lines, Scandinavian Airlines, Spanair, TAP Portugal, THAI, Turkish Airlines, US Airways, United, bmi.

本次展会特约服务航空公司包括：全日空、加拿大航空公司、中国国际航空公司、韩亚航空公司、奥地利航空公司、波兰航空公司、德国汉莎航空、瑞士国际航空公司、北欧航空、西班牙航空公司、葡萄牙航空公司、土耳其航空公司、美国联合航空、英国中部航空公司。

温馨提示：从日本及新西兰出发的航班特价折扣优惠该成员航空公司自己的订票网络中获取。制订航空飞行计划时，请出示阁下的参会登记确认信或参会凭证。



威斯巴登交通便利，距离欧洲最大的国际机场法兰克福国际机场（FRA）仅28公里。旅客无须离开机场区域即可换乘地铁或数班地区列车，可直达威斯巴登中央火车站。

另外一个国际旅客到达的小型机场为法兰克福哈恩机场（HHN）。虽然以法兰克福冠名，该机场坐落于法兰克福以西约120公里、威斯巴登以西约90公里处。到达此机场的旅客请注意，该机场无列车或有轨电车线路接驳威斯巴登。由此处到达威斯巴登中央火车站大约需要2个小时车程。

从法兰克福国际机场（FRA）前往威斯巴登（行程28公里）

法兰克福机场公司 – 法兰克福国际机场
地址：60547 Frankfurt am Main（美因河畔法兰克福市）
电话：+49 69 6900
传真：+49 69 69070081
咨询热线：+49 1805 3724636
www.Frankfurt-airport.de

列车服务：法兰克福国际机场（德文：Rhein-Main-Flughafen或Flughafen Frankfurt am Main）坐落在德国美因河畔法兰克福市，位于威斯巴登市以东约30公里。该机场是德国最大的机场，是全世界国际航班的重要中转站，拥有两个一体化的火车站：位于AIRail Terminal航站区的长途火车站（Long-Distance Train Station），紧邻航站楼1号区（Terminal 1）；以及城市铁路（S-Bahn）专属的地区火车站（Regional Railway Station），旅客可在航站楼1号区1楼（Terminal 1, Level 1）搭乘区际及地区列车。

我们推荐阁下搭乘城市铁路 S - B a h n 列车服务 S 8 或 S 9 号线到达威斯巴登中央火车站（Wiesbaden Hauptbahnhof）。该列车快线平均15到30分钟从地区火车站（Regional Railway Station）发车一班，您可以在航站楼1号区1楼（Terminal 1, Level 1）的2、3号站台搭乘。列车行程约30分钟。请在列车RMV售票系统中选择65/6500按钮，购买前往威斯巴登的车票（RMV：地区公共交通系统）。您也可以按下字样为“Einzelfahrt nach Mainz/ Wiesbaden”的快速选择按钮，购买到美因茨/威斯巴登的单程票。

FILTECH 2009展会会议代表会在登记确认信中收到一张RMV套票，可免费搭乘本地的公共交通工具从法兰克福国际机场往返威斯巴登及往返威斯巴登市内。

出租车服务：机场两个航站区均设有方便快捷的出租车服务。往返威斯巴登市中心的单程出租车费用约为40至45欧元，车程约20到30分钟，依交通情况而定。当阁下搭乘出租车返回法兰克福机场时，请直接告诉司机您所搭乘航班的航空公司名称，出租车司机熟悉航站区域，会自动将您送到正确的航站区域，直达您搭乘航班的登机服务柜台。

机场出租车转乘服务

www.flughafentransfer-ebert.de 电话：+49 6123 605874
www.taxi@wi-taxi.de 电话：+49 7 24 25 56

租车服务

阁下可以在法兰克福国际机场找到数间提供车辆租赁服务的公司。

从法兰克福哈恩机场（HHN）前往威斯巴登（行程90公里）

哈恩机场
地址：55483 Hahn-Flughafen
咨询热线：+49 6543 509200
航站楼信息咨询：+49 6543 509113
www.hahn-airport.de

法兰克福哈恩机场（德文：Flughafen Frankfurt-Hahn）是一个国际航站，位于德国中西部地区。虽然以法兰克福冠名，该机场坐落于法兰克福以西约120公里、威斯巴登以西约90公里处。机场前身为美国空军哈恩空军基地，在结束了作为军事基地的用途之后，该机场现已转型为民用机场。虽然是国际航班的出发和到达航站，但为了避免与航班业务更为繁忙的法兰克福国际机场相混淆，哈恩机场并未使用“国际”作为机场名称的组成部分。因为地理位置较为偏远，运营费用相对低廉，因此法兰克福哈恩机场受到众多低成本航空公司的欢迎，如Ryanair航空公司，以该机场作为其重要的交通中枢之一。

公共汽车服务：阁下可以搭乘公共汽车机场快线（ORN-airport-shuttle）往返法兰克福哈恩机场（航站楼前的1号公共汽车站）与美因茨（Mainz）的中央火车站（Main Railway Station）。到美因茨的公共汽车行程为70分钟。从美因茨到威斯巴登中央火车站的列车票在该公共汽车上有售（FILTECH公共交通套票并不适用于该公共汽车线路）。我们推荐阁下搭乘城市铁路 S - B a h n 列车服务 S 8 号线前往威斯巴登市区（FILTECH公共交通套票适用于从美因茨开往威斯巴登的地区列车快线）。该列车快线每30分钟一班，您可以在美因茨中央火车站内街面层的1a号站台搭乘。列车行程为15分钟。请在列车RMV售票系统中选择65/6500按钮，购买前往威斯巴登的车票。从法兰克福哈恩机场到达威斯巴登中央火车站，整个行程需要大约2个小时。

出租车服务：往返威斯巴登市中心的出租车服务约需花费100至145欧元，行程约1小时。

TRAVEL INFORMATION 旅行指南

列车服务

威斯巴登中央火车站 (The Central Station of Wiesbaden) 是重要的欧洲及市际列车中转站。威斯巴登与法兰克福中央火车站 (Frankfurt Hbf Main Station) 有众多的铁路线紧密相连, 车程仅需35分钟。使用列车服务到达威斯巴登的旅客仅需在市内作短途步行, 即可抵达目的地。市内的风景名胜及重要设施仅数步之遥, 几分钟即可徒步到达。

从中央火车站到Rhein-Main-Hallen会展中心仅需步行10分钟。阁下也可以选择站在站外搭乘公共汽车或出租车, 几分钟即可到达, 班次频密, 方便快捷。FILTECH 2009展会会议代表拥有威斯巴登的公共交通套票, 可免费搭乘公共汽车或有轨电车往返市区。使用该套票亦可免费搭乘地区列车往返法兰克福国际机场及威斯巴登中央火车站之间。

铁路旅行中心

地址: Bahnhofplatz 1, 65189 Wiesbaden (威斯巴登市)

营业时间:

星期一至五: 上午6时 - 下午7时30分

星期六: 上午7时 - 下午6时

星期日: 上午8时45分 - 下午7时

驾车旅行

威斯巴登连结8条高速公路及数条联邦公路, 阁下可从北方的A5或A3号高速公路, 或东方的A3/A66号高速公路, 南方的A5或A67/A63号高速公路, 又或者是西方的A60号高速公路驾车抵达。Rhein-Main-Halls会展中心位于威斯巴登市中心。



从法兰克福机场驾车出发

- 使用B43号公路。
- 在B43号公路的Kelsterbach立交出口转入A3号高速公路, 往Köln、Wiesbaden、Darmstadt、Mainz、Rüsselsheim方向行驶。
- 在A3号高速公路Wiesbadener Kreuz出口转入A66高速公路。
- 在A66号高速公路的Wiesbaden-Mainzer Straße (5)出口下高速, 往Wiesbaden-Stadtmitte (市中心)、Wiesbaden-Mainzer Str.方向行驶。
- 通过Wiesbaden高速公路立交。
- 沿Mainzer Straße (B263)公路行驶。
- 在Mainzer Straße (B263)公路左转驶入Gustav-Stresemann-Ring (B54)公路。
- 离开Gustav-Stresemann-Ring (B54)公路, 沿Kaiser-Friedrich-Ring (B54)公路往前行驶。
- 离开Kaiser-Friedrich-Ring (B54)公路, 右转进入Bahnhofstraße大道。
- 离开Bahnhofstraße大道, 左转驶入Rheinstraße (L3037)大道。
- 经过30公里24分钟的行程, 您已驾车抵达威斯巴登市Rheinstraße大道20号会展中心。

停车服务

阁下可以在市区内找到很多公共停车场停泊您的车辆。现代化的指引系统可直接帮助您找到免费的停车地点。驾车抵达的旅客可以在威斯巴登市区的11个停车场内找到5,106个停车位。

距离Rhein-Main-Hallen会展中心最近的停车场是Rhein-Main-Hallen/ "Theater" 停车场, 全天24小时开放。其次是"Markt/Rathaus" 停车场, 步行至Rhein-Main-Hallen会展中心仅10分钟。使用上述停车场需要缴纳停车费。



Parkmöglichkeiten: Achten Sie bei Ihrer Anfahrt auf das Wiesbadener Parkleitsystem.
Parking: Look out for the electronic guiding system which signposts vacant parking spaces within the city.

Rhein-Main-Halls /
Rhein-Main-Halls/
FILTECH 2011

公共交通套票

FILTECH 2011展会会议代表会在其会议登记确认信中收到一张RMV会议交通套票（RMV-Kongress Ticket）。凭该套票可在2011年03月21至24日期间免费搭乘火车往返法兰克福国际机场（FRA）火车站及威斯巴登中央火车站（市际/地区列车S8/S9号线），以及无限次使用威斯巴登市内的公共汽车及地区列车服务。

酒店预订

威斯巴登旅游服务中心（The Wiesbaden Tourist Service）可以为您提供方便快捷的酒店预订服务，住宿服务涵盖的范围包括家庭式旅馆到豪华酒店不等。阁下可以通过填写寄回为FILTECH2011展会参加人员专设的酒店预订表格，轻松预订酒店服务。如您对于酒店住宿服务或者其它旅游信息有疑问需要咨询，请联系：

威斯巴登会议及旅游服务中心 - 酒店预订服务

地址：PO Box 38 40, 65028 Wiesbaden – Germany

德国威斯巴登市3840邮箱（邮政编码65028）

电话：+49 6129 / 1729-777

传真：+49 6129 / 1729-701

电邮：tourist-service@wiesbaden.de

如阁下直接预订酒店或 询旅游信息，请说明您是FILTECH展会的嘉宾。如阁下需要单独的预订服务，可以登录网站www.wiesbaden.de浏览详细的酒店信息。

威斯巴登旅游信息

威斯巴登旅游服务中心（The Wiesbaden Tourist Service Office）非常乐意为抵达威斯巴登的游客提供旅游信息、名 观光及酒店预订服务。该服务中心位于威斯巴登市中心，距离Rhein-Main-Halls会展中心仅一步之遥，非常容易找到。

威斯巴登旅游服务中心

地址：Marktplatz 1, 65183 Wiesbaden – Germany

德国威斯巴登市Marktplatz大道1号（邮政编码65183）

营业时间：

星期一至五：上午10时 – 下午6时

星期六：上午9时 – 下午3时

出租车服务

www.taxiwiesbaden.de 电话：+49 611 333333

www.taxi-444444.de 电话：+49 611 444444

自动柜员机

阁下可以非常方便地在Rhein-Main-Halls会展中心附近使用万事达信用卡及其它国际信用卡提取现金。位于BahnhofstraSe大道和Friedrich Ebert Allee/Wilhelmstrasse大道的各家银行均有提供自动柜员机服务。

购物休闲

Rhein-Main-Halls会展中心位于威斯巴登市中心，阁下可以在附近找到各种各样的设施，包括专卖店、百货商场、超级市场、博物馆以及众多的咖啡馆和餐厅，当然还有市区的威斯巴登赌场。

RULES & REGULATIONS - FILTECH 2011

1. Organiser

Filtech Exhibitions Germany OHG
PO Box 12 25 – 40637 Meerbusch – Germany
Phone: +49 (0)2132 93 57 60 Fax: +49 (0)2132 93 57 62
e-mail: info@Filtech.de Web: www.Filtech.de

2. Venue/Date

Rhein-Main-Hallen · Rheinstraße 20 · 65158 Wiesbaden
Date: March 22 – 24, 2011, 9:00 am – 6:00 pm

3. List of Exhibits

Only products which meet the subject of the Event can be admitted and exhibited. The subject is Filtration & Separation Technology.

4. Participation charges

The FILTECH net participation charges are 255 Euro per sq. m space only. Minimum charge is 12 sq. m. Part of a square metre will be charged as a full unit. Projections, pillars, columns and space for installation connections will all be included in space costs. The participation costs (space only) do not include stand partition walls. All prices given are net, statutory German VAT will be added valid at the time of the event.

5. Terms of Payment

Upon receipt of the confirmation of the stand booking (admission) 50% is payable immediately without deduction. The remaining 50% is payable 4 months before the show at the latest. Invoices issued after 01.1.2011 are payable immediately in full. Invoices for miscellaneous services or for supplies ordered separately should be settled at the time the services were provided or the supplies effected, at the latest by the date of the invoice. If the exhibitor gives instructions to render accounts to a third party, the exhibitor still remains responsible. Remittances should be endorsed with the invoice number, marked FILTECH 2011 and made out in favour of the organiser and paid into the following bank account:

Deutsche Bank Düsseldorf – Bank Code 300 700 10 –

Account-No. 881 8866 00

IBAN: DE28300700100881886600 – BIC/SWIFT: DEUTDE33XXX

In the case of late payment, interest will be charged at a rate of 2% above the base rate of the European Federal Bank effective at the time. If payment of the invoices is not effected by the exhibitor within the stipulated periods, the organizer shall have the right (also in the event of space not fully paid for) to withdraw from the contract with regard to all space rented by the exhibitor and to dispose of this space otherwise.

6. Application for space

Applications for space shall be made by using the official form, acknowledging the Conditions of Participation and the Technical Regulations to be issued subsequently. Officially signed application forms should be sent to the organiser. Applications made subject to conditions or reservations cannot be taken into consideration. Every endeavour will be made to make requests for specific sites, but such requests cannot be recognised as a condition for participation. No undertaking can be given with respect to exclusion of competitors. The application will be considered effected once it has been received by the organiser and it is then binding until admission or non-admission. Receipt of application will be acknowledged in writing. For both exhibitors and stand contractors the Technical Regulations constitute an integral part of the contract. These are available on request, subject to subsequent modifications, and become binding for the event.

7. Admission

A legal claim for admission does not exist. Exhibitors who have not fulfilled their financial obligations to the organiser or have contravened the Conditions of Participation or legal requirements can be excluded from participation. Exhibitors will receive written confirmation that they have been admitted. This confirmation applies only to the designated exhibitor. Notification of admission constitutes the conclusion of the contract between the organiser and the applicant. If the allotted space is not available for reasons beyond the control of the organiser the exhibitor may claim a refund of the space rental cost; there will be no claims for damage. The organiser may, if required by circumstances and specifying its reasons for doing so, and bearing in mind what is reasonable for the exhibitor, deviate from the notice of admission by allocating space in another position or reducing or increasing the stand size. The organizer reserves the right to alter the hall layout without prior notice to exhibitors.

8. Exhibits

Exhibits may not be removed from the stand until after the event has ended. Selling from the stand prior to the end of the show is not permitted. The operation and demonstration of machines has to be indicated to the organiser and can only be carried out with consent of the organiser.

9. Co-exhibitors

A fee of EUR 275 Euro is due for assigned Co-Exhibitors. This fee includes the participation fee, print communication and online communication for the Co-Exhibitor.

Without the prior consent of the Organizer, Exhibitors are not permitted to sublet their allotted stand either fully or in part to a third party. All accounts will be sent to the Main-Exhibitor, who still remains responsible. Other correspondence will be sent to the co-exhibitor. Consented Co-Exhibitors are entitled to: free Catalogue entry incl. address, text entry & 4c Company logo, product index listing plus Company logo & text entry at FILTECH homepage.

10. Communication Package – Print & Online

Each exhibitor receives a free entry in the Exhibition Catalogue incl. address, 4c Company logo, Company description (German & English) product index & market index listing. Free entry at FILTECH homepage incl. Company description (German & English), 4c Company logo, product index & market index listing, free publication of Exhibitor news/press releases). According to the stand size each exhibitor receives free Entrance tickets to the exhibition and promotional stickers.

11. Cancellation and non-participation

Following admission (relevant: date of reservation confirmation issued by the organizer), the exhibitor shall not be entitled to rescind the contract nor to reduce the stand area. The participation charges shall be payable in full together with any costs actually entailed. Should the organiser make alternative use of unoccupied areas to improve the general appearance of the show, the exhibitor who reserved the space shall not be released from his financial obligations. The organiser is free to alter the hall layout, without prior notice to exhibitors.

The cancellation and non-participation of a main exhibitor automatically results in the exclusion and cancellation of admission for the Co-exhibitor. If settlement or bankruptcy proceedings are pending against an exhibitor's assets, or if such proceedings have been suspended due to inadequate assets, the organiser shall be entitled to cancel the contract without further notice. The exhibitor must inform the organiser immediately and under any circumstances when such settlement or bankruptcy proceedings have been proposed. The above mentioned paragraphs apply accordingly.

12. Exhibition insurance cover and exclusion of liability

Every exhibitor exhibits at his own risk. Exhibitors can obtain cover, at their own expense, for risks during participation at the event.

The organiser accepts no responsibility for exhibits and stand fittings and expressly excludes all liability for any loss or damage. This exclusion of liability is in no way limited by the security services provided by the organiser.

Furthermore the organiser is only liable in cases of gross negligence or wilful intent. The organiser is insured to cover his statutory liability. In other respects the General Insurance Conditions for Liability Insurances (AHB) shall apply.

13. Reservation of rights and final conditions

The organiser has the right to postpone, curtail, extend, temporarily close, in part or completely, or cancel the trade fair, should it be necessary, for reasons beyond their control, and whilst considering the interests of the exhibitors in carrying it out. In such justifiable, exceptional circumstances, as in all cases of force majeure, exhibitors shall not be entitled to rescind their contract, claim damages nor reduction of participation charges. If the event does not take place for the afore-mentioned reasons, exhibitors may be charged up to 25% of the participation charges to cover general costs. A larger amount can be demanded from individual exhibitors if they have given instructions for extra work to be carried out on their behalf. If the organiser is responsible for the cancellation of the event, no participation charges will be payable. The organiser will entertain no claim for damages. All verbal agreements, individual approvals and special arrangements must be confirmed in writing by the organiser. Whenever admission documents contain the reference that they have been drawn up by the organiser by computer, even if they contain no signature, they are legally binding.

All claims by exhibitors against the organiser must be made within 6 months. Claims made there after will not be valid. The period of limitation starts at the end of the month in which the event finished. The place of performance and jurisdiction for all mutual obligations is Meerbusch or, at the request of the organiser, the jurisdiction of the exhibitor's place of business. This also applies to complaints arising from cheques or drafts. The law of the Federal Republic of Germany is applicable. The German text is binding.